



## Hose Clamp with Worm-Gear, Steel quality W4, stainless steel 1.4301

Standard clamp for fastening light hose types to connecting pieces on mobile and stationary installations

### Product Details

#### Construction / Material

- **Clamp Design:** Clamp band designed with a band width of approx. 12 mm, Clamp band designed with a band thickness of approx. 0.5 - 1 mm, Clamp with housing, worm thread and clamping screw, Clamping screw in sizes M5-M10 designed as slotted hexagon screw
- **Material of the clamp:** Stainless steel 1.4301

#### Properties

- **Chemical Properties:** rust-protected

#### Operating Temperature

#### Delivery Information

#### Application Areas

#### Customizing Options

### Article Variants

Article number	Clamping range mm
002039	20 - 35
002041	27 - 45

Article number	Clamping range mm
002043	35 - 55
002045	45 - 65
002047	55 - 75
002049	65 - 85
002051	75 - 95
002053	85 - 105
002055	95 - 115
002057	105 - 125
002059	115 - 135
002061	125 - 145
002063	135 - 155
002065	145 - 165
002067	155 - 175
002069	165 - 185
002071	175 - 195
002074	195 - 215
002076	205 - 225
002078	215 - 235
002081	235 - 255
002083	245 - 265
002086	265 - 285
002088	275 - 295
002090	285 - 305
002092	295 - 315
002094	305 - 325
002098	345 - 365
002103	395 - 415
002107	445 - 465
002110	495 - 515

Subject to technical changes and colour deviations

## Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

## Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

### Individual consultation

We offer consultation by  
phone:  
+49 209 97077-112

Product requests via  
[masterflex.de/en](https://www.masterflex.de/en)

### Address Headquarters

Masterflex SE  
Willy-Brandt-Allee 300  
45981 Gelsenkirchen

